

PGT™ WinGuard®
ALUMINUM

A LIFE YOU DESIGN.
THE FREEDOM YOU DESERVE.





Fixed Lite Picture Window PW7720A
Clear Anodized Frame

Why Impact Windows and Doors	4
Advantages of Impact Products	6
Always on Protection	8
Customizable Options	10
PGT® WinGuard® Aluminum Doors	16
PGT® WinGuard® Aluminum Windows	24
Glossary	35

Live the life you want *where* you want — a custom detailed home that offers you and your family beauty and peace of mind for years to come. That's the freedom PGT® gives you.

From the day they're installed and for every moment you own your home, our impact products stand up to outside elements and give you confidence in your environment, your lifestyle, and your investment.

Designed to deliver an impact



INCREASE YOUR HOME VALUE

Most homeowners who install impact doors and windows see significant increases in the value of their homes.

—
95%

of customers' home value increased — with an average gain of nearly \$34K¹.



LOWER YOUR INSURANCE COSTS

Impact products make your home more efficient and reduce insurance costs.

—
43%

of homeowners have seen a reduction in their insurance costs¹.

John Cannon Homes
Adelaide Model
Sarasota, FL



FEEL MORE SAFE AND SECURE

When it comes to guarding against intruders and standing up to the strongest weather conditions, impact products simply perform better.

63%

of homeowners who have impact products said they are rarely or never concerned about intruders.¹



ENJOY THE PEACE AND QUIET

Impact products give you peace and privacy by minimizing nearby noises like — lawn mowers, traffic, and loud neighbors.

32%

increase in sound reduction based on testing of the glass alone.²

1. 2020 Consumer Perception Study by John Burns Real Estate Consulting LLC.

2. Based on comparison of Guardian 3/8" monolithic glass to Guardian 1" LIG (3/16" cap - 3/8" airspace - 7/16" PVB lami).

Innovation for a lifetime

PGT® has led the impact industry for more than 30 years by improving safety standards, pushing innovation, and delivering superior performance.

LAMINATED INSULATING GLASS

LAMINATED GLASS

An interlayer bonds two panes of glass to form an incredibly strong glass “sandwich” that functions as a single pane, with additional noise-dampening and security benefits.

THE INTERLAYER

The interlayer is a transparent, shatter-resistant plastic membrane that is remarkably tough and flexible, holding the panes of glass firmly in place even if cracked from the outside. The interlayer also protects furniture and decor against fading and sun damage.

THERMOPLASTIC SPACER (TPS)

Our unique TPS spacer and sealant system is air-tight, maintaining the thermal insulation and preventing condensation and seal failures.

INSULATING AIR SPACE*

The layer between the outside pane and inner laminated glass pane acts as a barrier that slows heat transfer and dissipates sound. Argon gas can be inserted for even greater energy efficiency.



UV PERFORMANCE COATING

A molecular bonded coating on the glass surface that reduces heat buildup in your home, saving cooling cost.

OUTSIDE PANE*

Single pane of glass that increases a window's insulating properties while maintaining clear sightlines.

With more than 7 million units installed, discover what makes us America's authority on impact windows and doors.

Renowned Performance

Over 8 million products manufactured and shipped, a testament to the quality and performance trusted by homeowners and builders alike.

Significant Sound Reduction

Minimize noises in and around your home. Product options are subjected to STC testing.

Energy Efficiency Upgrade

Laminated insulating glass reduces heat and cooling loss in homes no matter the outside conditions. Optional coatings and other upgrades can help achieve a higher level of energy efficiency. Speak to your local dealer for more information.

Hours of Testing

PGT® WinGuard® Aluminum products endure hundreds of hours of testing to meet or exceed Miami-Dade Building Code requirements.


Leader in NOA Certifications

PGT® is a leader in the impact category with more than 40 Miami-Dade Notices of Acceptance.

Certifications & Ratings:

National Fenestration Rating Council
Miami-Dade Notice of Acceptance (NOA)
Florida HVHZ Product Approval

*Included with laminated insulating glass packages for highest energy performance. Both laminated and laminated insulating glass packages are available for PGT WinGuard products.



Effortless protection that's always on

Neal Signature Home
Positano Model
Nokomis, FL



Scan the QR code to visit our website. You'll find homeowner resources to care for and maintain your PGT® products along with inspiration and tips for new builds and renovations. Experience all that PGT® has to offer.

Ready to say goodbye to shutters? Installing PGT® impact products is an investment in your home and lifestyle with everyday and long-term rewards. WinGuard® is engineered for performance.

Convenience

PGT® provides effortless impact protection from the moment of installation. Shutters require your presence for timely setup before every weather event.

Comfort

PGT® products allow for natural light while significantly quieting outdoor noise during a storm. Shutters darken your home and offer minimal sound protection.

Effectiveness

A durable interlayer keeps impact glass within the frame even if struck, shielding your home from flying debris.

Service

We’re committed to delivering the best service in our industry, making the process from purchase to ownership simple and stress-free.

Value

While the initial investment for impact windows is higher than shutters, the ROI for impact windows usually far exceeds that of shutters.

Freedom

You get the everyday superior performance of PGT® — less noise, more security, and lower energy costs — no matter your location or weather. Shutters are manually removed after every storm.

IMPACT WINDOWS VS. SHUTTERS AND PANELS

PRODUCT	NO EFFORT REQUIRED	NO STORAGE REQUIRED	NO CHANGE IN HOME APPEARANCE	24/7 SECURITY PROTECTION	24/7 UV PROTECTION	24/7 NOISE REDUCTION	COST EFFICIENT*
PGT® WinGuard® Impact Resistant Windows & Doors	✓	✓	✓	✓	✓	✓	✓
Electric Roll-Down Shutters	✗	✓	✗	✗	✗	✗	✗
Manual Roll-Down Shutters	✗	✓	✗	✗	✗	✗	✗
Accordion Shutters	✗	✓	✗	✗	✗	✗	✗
Lexan Panel Shutters	✗	✗	✗	✗	✗	✗	✗
Plywood	✗	✗	✗	✗	✗	✗	✗
Fabric Storm Panels	✗	✗	✓	✗	✗	✗	✗

1. Source: 2022 Cost vs Value Report, *Remodeling Magazine*.
* Cost efficiencies are gained over the lifetime of a product.

Elevated style. Designed for customization.

PGT® WinGuard® Aluminum products are engineered for the highest quality and designed to fit any style of home with the most customized glass and frame options available.

We're so sure of their performance, we back our windows and doors with one of the industry's best warranties.



**LIMITED
LIFETIME
WARRANTY**

On the insulating glass unit
10 years on the frame

“

*Overall, it's been a good investment.
I feel confident in my choices of windows
and doors, both for the looks and value of
my home.*

– James P., Tampa, FL

PGT® WINGUARD® ALUMINUM DOORS



Sliding Glass Doors

These smooth operating doors will add extra security to your home and let natural light into your living room or master bedroom.

Pages 18-21



French Door

Pairing elegance and high functionality, these single or double French doors can be equipped with European-style hardware and is available with matching sidelites.

Pages 22-23



Single Hung Window

Raised from the bottom with a fixed top half, our single hung window offers ventilation and effortless protection in a traditional style that can be used throughout the home.

Page 26



Horizontal Roller Window

Blending modern style and top-notch protection, this easily operated window is perfect for kitchens, bathrooms, and more.

Page 27



Casement Window

The foldaway handles of these windows prevent interference with your curtains. Pair them beautifully with matching Awning and Picture windows.

Fixed Lite Casement Picture Window

Page 28



Awning Window

Designed for use in high spaces, this beautiful-yet-functional window is designed to block rain from entering, while providing outstanding ventilation and light.

Page 29



Fixed Lite Picture Window

A non-operable window that enhances the look of living rooms, kitchens, and master bedrooms with maximum, unobstructed sightlines.

Pages 30-31



Fixed Lite Architectural Window

Our wide selection of unique shapes and styles will help allow natural light, improve security, and enhance your home's beauty and aesthetics.

Pages 32-33



CUSTOMIZED TO YOUR EXACT STYLE AND STANDARDS

Each PGT® WinGuard® Aluminum product is built just for you and can be fully customized to live up to your highly unique design vision — without compromise, down to the last detail.

FRAME COLORS

Powder-coated frames resist chipping, corrosion, and fading. Custom frame colors are also available.

Black

(Not available for FD101H)

Bronze

Clear Anodize

White

SCREENS

Fiberglass Screen Mesh



18x14
Charcoal or Gray



18x16
Charcoal or Gray



20x20
Charcoal or Gray

BetterVue®

Insect screening with
Water Shed Technology™

(available in charcoal only)



GLASS OPTIONS

With over 7,200 glazing options possible, you can create the right look for any window shape, size, or style. Our energy-efficient glass options reduce costs and keep your home comfortable year-round.

Argon Gas
(Laminated insulating glass only)
Windows can be filled with colorless and odorless argon gas to help insulate a room and minimize the transfer of heat through the window

Low-E (Emissivity) Glass
High performance coated glass that reflects heat to keep your home comfortable

Impact Laminated Insulating Glass
Highly customizable option that delivers increased energy efficiency and sound dampening

Privacy Glass
White Interlayer, Obscure glass

GRID TYPES



Raised/Flat Grid
1"-wide raised muntin applied to exterior

1"-wide flat bar applied to interior



Flat Grid
9/16"-wide flat grid between the glass

GLASS TINTS



Clear



Bronze



Gray



Green



Azure Blue



Solarcool® Bronze




Graylite® II




Turtle Glass
Tinted to reduce light and protect the natural habitat of marine turtles. Ask your dealer to learn more.


GRID STYLES



None



Colonial



Brittany / Prairie
(Not available for AR7720A)

SLIDING GLASS DOOR HARDWARE OPTIONS SGD770/SGD770NS



FRENCH DOOR HARDWARE OPTIONS FD750

Standard



HARDWARE FINISH OPTIONS

STYLE	WHITE	MATTE BLACK	SATIN NICKEL	OIL-RUBBED BRONZE	BRONZE	BLACK	POLISHED GOLD
Raised	SGD 770/SGD 770NS	SGD 770/SGD 770NS	SGD 770/SGD 770NS	SGD 770/SGD 770NS	SGD 770/SGD 770NS		
Contemporary	SGD 770/SGD 770NS	SGD 770/SGD 770NS	SGD 770/SGD 770NS				
Curved	SGD 770/SGD 770NS		SGD 770/SGD 770NS			SGD 770NS	
Modern	SGD 770NS	SGD 770NS			SGD 770NS		
Beveled	SGD 770NS	SGD 770NS	SGD 770NS	SGD 770NS	SGD 770NS		
Standard			FD 750			FD 750	FD 750

PGT® WINGUARD®

ALUMINUM DOORS

“

It decreased our homeowner's insurance by \$600. We had no idea it would save us so much money.

– Fitzgerald M., Orlando, FL

Preferred French Door FD750
John Cannon Homes
Adelaide Model

Quality and performance, front to back

PGT® WinGuard® Aluminum doors are beautiful and low-maintenance — the perfect complement to a carefree life. You'll feel the premium quality each time you open them and feel fully protected when they're closed.



Ease of Operation

Heavy-duty hardware allows for easy opening



Low Maintenance

Premium aluminum delivers performance for years to come



Maximizes Viewing Area

Low-profile construction and modular configuration minimize visual obstruction and enhance your view



Sliding Glass Door

Preferred View Sliding Glass Door
SGD770NS

Preferred Sliding Glass Door
SGD770



French Door

Essential French Door
FD101H

Preferred French Door
FD750

Sliding Glass Door



Dramatic Views

Invite the outdoors in with this expansive style



Maximum Performance

Features narrow frames designed to disappear into your surroundings without compromising impact strength

SGD770NS

Preferred View Sliding Glass Door

Configurations

- 2.5" Interlock
- Bypass, Pocket, and 90 and 135 degree corners
- Up to 8 panels with expansions of up to 46.82'

Dual-Point Locking System

- Prevents panels from being lifted off the tracks
- Secures into the door jamb, creating a weather-tight seal with high-security performance and maximum-load resistance

Screens

- Standard or heavy-duty

Dimensions

- Max nominal panel size: 5'w x 12'h or 6'w x 10'h
- Max overall opening size: 39.32'w x 12'h or 46.82'w x 10'h



SEE THE DIFFERENCE

SGD770NS

Preferred View Sliding Glass Door

2.5" Interlock



SGD770

Preferred Sliding Glass Door

5" Interlock



Preferred View Sliding Glass Door SGD770NS
3 Panel Bypass

Sliding Glass Door



Ease of Operation

Stainless-steel rollers for smooth and durable movement



Maximizes Viewing Area

Low-profile construction and modular configuration minimize visual obstruction and enhance your view

SGD770

Preferred Sliding Glass Door

Configurations

- 5" Interlock
- Bypass, Pocket, and 90 and 135 degree corners
- Up to 8 panels with expansions of up to 40'

Dual-Point Locking System

- Prevents panels from being lifted off the tracks
- Secures into the door jamb creating a weather-tight seal with high-security performance and maximum-load resistance

Screens

- Standard or heavy-duty

Dimensions

- Max panel size: 4'w x 10'h or 5'w x 8'h



SGD770 Preferred Sliding Glass Door

SGD770
Track Height Dimensions



Standard 2.5" height

Optional 3.25" and 4" guards against water intrusion

SGD770
Roller Options



Stainless Steel (*Standard*)

Nylon for a quieter option (*Pictured Above*)

Steel



French Door



Ease of Operation

Heavy-duty hinge supports the weight of the door for easy opening



Modular Design

Single or double configurations. Optional sidelites allow design flexibility.

FD101H

Essential French Door

Configurations

→ Available as a double French door style or single French door (*also known as a patio or terrace door*)

Concealed 2-Point Locking System

→ Provides added strength and security

Prepped for an Array of Hardware

→ Accommodates an array of industry-standard handles and deadbolts

FD750

Preferred French Door

3-Point Stainless-Steel Locking System

→ Provides an unmatched level of strength and security

Prepped for European-Style Hardware


→ Enhances the design of patios, master bedrooms, and more

Standard Hardware Options (*FD750 only*)

Black
Satin Nickel PVD
Polished Gold PVD



FD101H Essential French Door
handle not included



FD750 Preferred French Door
Single, Patio Style, Bronze Frame



FD750 Preferred French Door
Double Door, Black Frame

PGT® WINGUARD®

ALUMINUM WINDOWS

“

My personal safety and the safety of my family is paramount. These products have really helped me accomplish that.

– Teresa D., Fort Myers, FL

Single Hung SH7700A &
Fixed Lite Picture Window PW7720A
Neal Signature Homes
Positano Model

Strength and style that shine through

Enhance your home design with the beauty and unparalleled strength of PGT® WinGuard® Aluminum impact windows. These windows are crafted to stay securely attached during storms, preventing pressurization in extreme weather conditions. Each window showcases our signature premium quality and performance, offering durability to provide peace of mind.



Low Maintenance

Premium aluminum delivers performance for years to come



Durable

Sturdy aluminum frame delivers performance for years to come



Energy Efficient

Impact windows lower your home's energy bills



Single Hung Window
SH7700A



Horizontal Roller Window
HR7710A



Casement Window
CA740

Fixed Lite Casement Picture Window
PW740



Awning Window
AW740



Fixed Lite Picture Window
PW7720A



Fixed Lite Architectural Window
AR7720A

*Compared to a single pane window. Energy cost savings based on 14.4 yrs Florida average home ownership. Source: energy.gov, valuepenguin.com

Single Hung Window



Enhanced Security

Impact glass resists intruders and features a low-profile sweep lock



Easy Opening

Heavy-duty, pre-tensioned spiral balance system



Configurations



Equal



Proview

Integrated Lift Rails and Deluxe Sweep Locks

→ Enables easy fingertip operation

Flexible Design

→ Radius Top and Proview/Oriel

Hardware Options

- Patented bottom lock with visual lock/unlock design
- Vent latch allows fresh air in without opening window completely
- Window Opening Control Device that delivers a deeper level of safety and security (Certified to ASTM F2090*)

HR7710A

Horizontal Roller Window



Design Versatility

Available in 2- and 3-lite configurations



Easy Opening and Closing

Made with tandem stainless-steel bearings



Configurations

- Equal Lite
- Unequal Lite
 - $\frac{1}{4}$ - $\frac{1}{2}$ - $\frac{1}{4}$, $\frac{1}{3}$ - $\frac{1}{3}$ - $\frac{1}{3}$, Custom

Tandem Stainless-Steel Rollers

- Allows for smooth, easy operation

Low-Profile Sweep Lock

- Adds an extra level of security
- Maximizes the view

Hardware Options

- Vent latch allows fresh air in without opening window completely
- Window Opening Control Device that delivers a deeper level of safety and security (Certified to ASTM F2090*)

*Window opening control devices are designed to meet the ASTM International (formerly known as ASTM - American Society of Testing and Materials) Standard Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms.

Casement Window



Easy Ventilation

Opens on either left- or right-hand side



Added Security

Best performing option for extreme weather and built with innovative multi-point locking system



CA740 Casement Window

Modular Design

- Available in single, double, or triple unit for versatile left or right opening
- Pair with a matching Awning or Fixed Lite Casement Picture Windows for design flexibility

Hardware

- Foldaway handle won't interfere with window treatments
- Optional washable hinge for easy cleaning from inside the home
- Window Opening Control Device that delivers a deeper level of safety and security (Certified to ASTM F2090*)

PW740

Fixed Lite Casement Picture/ Architectural Window

Fixed (Non-Operable) Window:

- Allows flexibility in design for multiple window configurations
- Suitable for most bedrooms and living spaces
- Works well as a standalone or companion window
- Matching Casement and Awning Windows available
- Available in an array of interesting shapes

*Window opening control devices are designed to meet the ASTM International (formerly known as ASTM - American Society of Testing and Materials) Standard Specification for Window Fall Prevention Devices with Emergency Escape (Egress) Release Mechanisms.

Awning Window



Hinged at the Top

To keep out rain but allow light and ventilation



Custom Configurations

Can be mullled vertically or horizontally

Modular Design

- Individual vent units can be mullled vertically or horizontally
- Matching Casement and Fixed Lite Casement Picture Windows

Hardware

- Foldaway Handle won't interfere with window treatments
- Multi-Point Locking System adds an extra layer of strength and security



Fixed Lite Picture Window



Design Flexibility

Pairs with other window shapes for a custom look. Great for creating a wall of windows.



Abundant Sunlight

Allows for the perfect view and natural light to fill the space



Fixed (Non-Operable) Window

- Works well as a standalone or companion window
- Allows flexibility in design for multiple window configurations

Modular Design

- Many matching window options available
- Enhances the look of living rooms, kitchens, and master bedrooms
- Individual units can be milled for a variety of shapes and sizes to create a unique vignette that's custom to your home
- Many popular grid options available. Check with your local dealer.



Fixed Lite Picture Window PW7720A
Bronze Frame

Fixed Lite Architectural Window



Visual Appeal

Available in an array of interesting shapes and can be customized to order



Abundant Sunlight

Allows natural light to fill the space

Fixed (Non-Operable) Window

- Works well as a standalone or companion window
- Allows flexibility in design for multiple window configurations

Modular Design

- Many matching window options available
- Enhances the look of living rooms, kitchens, and master bedrooms
- Individual units can be mullered for a variety of shapes and sizes to create a unique vignette that's custom to your home
- Many popular grid options available. Check with your local dealer.



Half Circle



Octagon



Circle



Trapezoid



Arch



Eyebrow

Popular Architectural shapes shown.
Ask your dealer for details on custom shapes and sizes.



Fixed Lite Architectural Window
AR7720A & Single Hung SH7700A
Bronze Frame



Fixed Lite Architectural Window
AR7720A & Single Hung SH7700A
White Frame

What makes our impact resistant products so worth the investment?

It's the safety and quiet you'll enjoy the day they're installed. It's the peace of mind knowing you're protected against unpredictable conditions. And it's the money you'll save and gain — in reduced energy bills and increased home value.



Preferred Sliding Glass Door SGD770
4 Panel Bypass, Single Hung SH7700A

Transom: Fixed Lite Picture Window PW7720

PARTNER SPOTLIGHT

PGT® is proud to feature properties of impeccable design and function using our products. Get inspired or find out more about our partners.



Scan the QR code to learn more about our partners and how you can benefit.



The homes shown in this brochure are a collaboration with the PGT® Corporate Builder Program.

GLOSSARY

Argon Gas — A safe, odorless, colorless, non-toxic, non-flammable inert gas that is commonly used in place of air between the glass panes of an insulated Low-E glass unit to reduce temperature transfer.

Corrosion Resistant — Refers to how well a substance can withstand damage caused by oxidization or other chemical reactions.

Design Pressure — Wind load pressure, expressed in pounds per square foot (psf).

ENERGY STAR® — An independent U.S. government program that establishes a standard set of guidelines to recognize the energy efficiency of various products. ENERGY STAR® guidelines are used in conjunction with a variety of building materials, including windows and patio doors.

Florida Product Approval — A statewide approval system that requires manufacturers to submit testing and engineering data to ensure certain building components meet Florida Building Code standards.

Forced-Entry Resistance — The test methods intended to establish a measure of resistance for window assemblies subjected to attacks, other than by impact.

Impact Resistant — Shatter-resistant glass. When the glass breaks, the shattered pieces will adhere to the interlayer.

Insulating Glass — Window panes separated by an air- or other gas-filled space to reduce heat transfer.

Interlayer — A shatter-resistant plastic membrane sandwiched between two panes of glass.

International Building Code — A model building code developed by the International Code Council that has been adopted throughout most of the United States.

Laminated Glass — Two panes of glass bonded together with a strong, clear interlayer.

Laminated Insulating Glass — Comprised of three panes of glass: two panes bonded together with a strong, clear interlayer and one pane for added insulation.

Large-Missile Impact — Test used on windows and doors in which a 9-lb. 2' x 4' is propelled at a speed of 34 mph onto test subject.

Low-E (Emissivity) Glass — Glass with a transparent, metallic oxide coating applied onto or into a glass surface. The coating typically allows short-wave energy to pass through but reflects long-wave infrared energy, which improves the U-value.

Miami-Dade Notice of Acceptance (NOA) — A certification method controlled by Miami-Dade County that requires products to be tested to the TAS testing protocols.

Monolithic Glass — A single pane of glass cast using one glass thickness.

National Fenestration Rating Council (NFRC) — A non-profit organization that provides energy performance ratings on windows, doors, skylights, and attachment products.

Privacy Glass — Glass that has been made translucent instead of transparent.

Sea Turtle Protection Code — Protects sea turtles along the Florida coastline during nesting season by restricting the amount of light permitted through windows and doors.

Sound Transmission Class (STC) — An integer rating that provides an estimate of the sound insulation performance of an interior building partition (such as a window or door) between indoor spaces. The higher the number, the less sound is transmitted.

Tempered glass — Treated glass that is strengthened by reheating it to just below the melting point and then suddenly cooling it. When shattered, it breaks into small pieces. Approximately four times stronger than standard annealed glass; is required as safety glazing in patio doors, entrance doors, sidelites, and other hazardous locations. It cannot be recut after tempering.

Ultraviolet (UV) — The invisible rays of the spectrum that are outside of the visible spectrum at its short-wavelength violet end. Ultraviolet rays are found in everyday sunlight and can cause fading of paint finishes, carpets, and fabrics.

Window Opening Control Device — A device that limits the opening of a window sash to a predetermined position. The device includes a release mechanism that shall allow the sash to be fully opened and that automatically resets when a window is fully closed.



Scan to Shop
PGT® Products

At PGT®, we're committed to delivering windows and doors you can rely on with Always On protection. Contact your local dealer today to get started.



Custom Windows and Doors

PGTWINDOWS.COM | NORTH VENICE, FL

©2025 PGT CUSTOM WINDOWS + DOORS

06/25 MC0100591

By MITER Brands™